



NA TRILHA DO AUTISMO (ON THE AUTISM TRAIL)

Jéssica Carvalho de Assis

Carlos Alberto Sanches Pereira

Português

English

Back

ON THE AUTISM TRAIL

Rules

Credits

Myths
and
Truths

Let's go!

Hi! We found a new friend
and we'd like to get to
know him better! Can you
help us?

Hi! I'm
Victor!



???

TRUTHS

MYTHS

Click on the boxes to find out!



Back

TRUTHS



- There are several treatments that help to improve the symptoms of Autistic Spectrum Disorder (ASD);
- Using animals for autism therapy can be positive;
- Autism can be hereditary;
- There is no cure for autism;
- Most autistic persons have problems with communication, social interaction and repetitive behavior.

Back

MYTHS



- Psychopaths are autistic;
- Autistics have a world of their own;
- Autistics are superintelligent;
- Autistics don't like affection;
- The mother's behavior, and lack of love, are causes of the problem;
- The triple vaccine can cause the disorder;
- Autistics don't like people.

Back

CREDITS

The game was created in 2019 by Jéssica Carvalho de Assis and her master's supervisor Carlos Alberto Sanches Pereira, as the final product of her Professional Master's thesis in Teaching in Health and Environmental Sciences, and it is aimed at getting to know teachers and helping them to better understand autism.


[Back](#)

RULES


The game consists of a track in which, as soon as the player clicks on “Let’s go!”, they are directed to the first square of the board and must click on that first square to be taken to the first question. The questions are of true and false type; thus, when directed to the first question, the player must click on “true” if they consider the statement to be true and on “false” if they consider that the statement is false. If the chosen answer is correct, the player will see a screen indicating that they got it right, in addition to an explanation on the subject. If it is wrong, the player will be directed to a screen indicating that the answer is wrong. On each of these screens, there is the option “back” to return to the same question or “next” to proceed to the next square on the board or to the next alternative, if the player has chosen the correct option.



Back







1

2



11

12

13

14

15

4

10

16

5

9

END

17

6

7

8

20

19

18

1

2

3

11

12

13

14

15

4

10

16

5

9

END

17

6

7

8

20

19

18



1

2

3

11

12

13

14

15

4

10

16

5

9

END

17

6

7

8

20

19

18



1

2

3

11

12

13

14

15

4

10

16

5

9

END

17

6

7

8

20

19

18



1

2

3

11

12

13

14

15

4

10

16

5

9

END

17

6



8

20

19

18

1

2

3

11

12

13

14

15

4

10

16

5

9

END

17

6

7

8

20

19

18



1

2

3

11

12

13

14

15

4

10

16

5

9

END

17

6

7

8

20

19

18



1

2

3

11

12

13

14

15

4



16

5

9

END

17

6

7

8

20

19

18



1

2

3

11

12

13

14

15

4

10

16

5

9

END

17

6

7

8

20

19

18

1

2

3

11



13

14

15

4

10

16

5

9

END

17

6

7

8

20

19

18

1

2

3

11

12

13

14

15

4

10

16

5

9

END

17

6

7

8

20

19

18



1

2

3

11

12

13



15

4

10

16

5

9

END

17

6

7

8

20

19

18

1

2

3

11

12

13

14

15



4

10

16

5

9

END

17

6

7

8

20

19

18

1

2

3

11

12

13

14

15

4

10

16



5

9

END

17

6

7

8

20

19

18

1

2

3

11

12

13

14

15

4

10

16

5

9

END

17

6

7

8

20

19

18



1

2

3

11

12

13

14

15

4

10

16

5

9

END

17

6

7

8

20

19

18



1

2

3

11

12

13

14

15

4

10

16

5

9

END

17

6

7

8

20

19


18



1- Swaying the body is always a characteristic of the autistic person. This statement is:

True

False





Wrong
answer. Don't
give up!



Back


Repetitive movements and swaying are really part of the behavior of many autistics. However, this attitude may or may not be present in the daily life of the person who is in this condition.



2- The autistic person lives in a world of their own. This statement is:

True

False





Wrong
answer. Don't
give up!



Back

Unfortunately, this is one of the most widespread statements. An autistic person lives and deals with people in a different manner due to language and socialization difficulties that are part of their dysfunction.

Yay!
That's
right!



Back

Next

3- We are able to identify signs of autism in babies. This statement is:

True

False

Autism can be noticed since the first months of life, as it manifests in the child's early ages.

Yay!
That's
right!



Back

Next



Wrong answer. Don't give up!



Back

4- A baby with characteristics related to ASD may present:

- a) Difficulty in establishing or maintaining eye contact;
- b) Repetition of movements and fixation on certain objects;
- c) Lack of interaction with games.

True

False

This whole set of characteristics can be observed in the first months of the child's life. Therefore, intervention therapies to improve these children's development should start as early as possible.





Wrong
answer. Don't
give up!




Back

5- Autism is a disease and has a cure.

True

False





Wrong answer. Don't give up!



Back

ASD – Autistic Spectrum Disorder, as the name implies, is a disorder and not a disease. There is no cure for ASD. There is treatment and control, which allow autistic persons to be taught to read and write, play sports, develop artistic skills, coexistence and affection, as well as the necessary development of autonomy and independence, according to the severity of their symptoms.



6- The positive results in response to therapies for ASD are all the more significant the earlier they are established.

True

False



The greater plasticity of the anatomical-physiological structures of the brain in the first years of life, as well as the fundamental role of a baby's life experiences for the functioning of neuronal connections and for the psychosocial constitution, turn this period into a sensitive and privileged moment for interventions.





Wrong answer. Don't not give up!



Back

7- We can consider a signaling characteristic for ASD when the child tends to be silent and does not manifest wide and meaningful facial expressions.

True

False

The increased repertoire of babbling, laughter and smiles are signs of a child's typical development.

Yay!
That's
right!



Back

Next



Wrong
answer. Don't
give up!



Back

8- With regard to food, children with ASD can be very resistant to the introduction of new foods in their diet.

True

False

A child with typical development likes to discover new foods, although they may resist a little at first, while those who are within the Autistic Spectrum tend to be food selective.





Wrong
answer. Don't
give up!



Back

9- With regard to the way they play, we can say that children with ASD use toys to imitate the actions of adults (for example: they will teach a doll, “feed” them with a spoon, tell them stories, etc.) frequently and variedly.



True



False



Wrong answer. Don't give up!



Back

In autistic children, this type of play is absent or rare.

Yay!
That's
right!



Back

Next

10- The lack of perception of certain sounds (such as a whistle, children playing, etc.) can be considered a sensory alteration common to people with ASD.

True

False



Wrong answer. Don't give up!



Back

On the contrary: excessive sensitivity to certain sounds and the excessive behavioral reactions to them are characteristics common to autistic persons.



11- It is important that the diagnosis of ASD be determined by a medical professional specialized in neurology, after their careful evaluation.



True



False



Wrong answer. Don't give up!



Back

The diagnosis of ASD involves the identification of “qualitative deviations” in development (especially in the field of social interaction and language). A differential diagnosis is extremely necessary and must identify the individual’s potentialities and impairments. A multidisciplinary team, composed of at least a psychiatrist and/or neurologist and/or pediatrician, a psychologist and a phonoaudiologist will be able to define a correct diagnosis.



12- Autism is a psychological problem. Its cause is found in the family or in the environment. It's been many years since the family has already been proved to be responsible for the development of the spectrum due to lack of affection with the child, and this definition has been confirmed in many current studies.

True

False





Wrong
answer. Don't
give up!



Back


Some specialists consider today that the contribution of genetic factors as a cause of ASD is around 90%, leaving only 10% of the responsibility for the environment. Autism is the neurodevelopmental disorder in which genetic inheritance plays the most important role. Still, it is worth remembering that it is not within the reach of biology to condition one's final destination, because the environment changes the expression of genes, and developmental deficiencies can be circumvented or corrected with learning.



13- Receiving the diagnosis of ASD of a family member can be a major stressor for the entire family system.

True

False



The care to the person with ASD requires long and permanent periods of dedication from the family, causing, in many cases, a decrease in work and leisure activities and even family members' health care neglect. Therefore, it is also necessary to offer parents and caregivers hearing, embracement and guidance spaces, and even specific therapeutic care.





Wrong
answer. Don't
give up!



Back

14- Regarding the inclusion theme, the idea that individuals with special educational needs should remain on the margins of society should be abandoned, as they have rights and duties like all citizens.

True

False

The way society interacts with people with disabilities must continuously evolve. A change in society and offering quality interaction with people with disabilities is what can result in a more fraternal and cooperative society.





Wrong answer. Don't give up!



Back

15- The inclusion of autistic students in mainstream schools should be assessed on a case-by-case basis, as both for typical students and those with special needs dealing with differences can be extremely challenging and affect teaching and learning proposals.



True



False



Wrong answer. Don't give up!



Back

Inclusion benefits everyone. It can develop solidarity, respect for differences and cooperation with each other. The inclusion of autistic children in schools is necessary. Including is to fully and unconditionally accept everyone's differences, in an appreciation of the being as similar to ourselves with equal rights and opportunities.



16- Examples of repetitive or restricted behavior are: foot stamping, body swaying, object rotation and emission of repetitive sounds. We can say that for the individual with ASD, these are self-regulatory behaviors they manifest in search of a sense of well-being or to relieve stress.

True

False

Self-regulatory movements are carried out so that, in some way, the autistic person organizes themselves. And care must be taken when assessing the need to contain this habit. Often, they should not be interrupted abruptly, as the autistic person may perceive the interruption as a punishment.





Wrong answer. Don't give up!



Back

17- The teacher who receives a student diagnosed with ASD will have the role of planning an educational strategy that minimizes the student's difficulties so that the student can integrate and develop themselves according to their own possibilities. Therefore, the teacher plays a fundamental role in the process of early childhood education. We can say that this statement is:




True



False

The misinformation of adults, parents, medical and education professionals may cause the autistic child to be condemned to live in a world that they cannot understand.





Wrong
answer. Don't
give up!



Back

18- Four factors indicate the presence of infantile autism: social relationship problems, communication difficulty, restricted and repetitive activities and interests and early onset.

True

False



Wrong
answer. Don't
give up!



Back

Autism is a developmental disorder and cannot be defined as a form of mental retardation, although many cases of autism have below average intellectual functioning. The word autism can be associated with several syndromes. Symptoms vary widely; for this reason, autism is currently considered a disorder.



19- To help the autistic person, it is essential that the family and professionals treat them differently, always remembering that they are dealing with an autistic person, trying to understand their way of being, and so the treatment will be composed exclusively of love and embrace of their differences.



True



False



Wrong answer. Don't give up!



Back

Treatment basically consists of rehabilitation: psychology, occupational therapy, phonoaudiology, school, physiotherapy, music therapy, etc.

Yay!
That's
right!



Back

Next

20- Research shows that autistic students can attain success in the learning process simply by being inserted in a school environment together with typical children, so that they can imitate their behaviors and learn.

True

False




Wrong answer. Don't give up!



Back

There are serious complaints reporting that the experience of inclusion without adequate adaptations, paradoxically, may be the most exclusive of all practices. Autistic students do not learn without proper support.





Congratulations!! Now the kids know their new friend much better!

Thank you!

Thank you!

Thank you!

Thank you!

Thank you!

Thank you!

 Voltar

NA TRILHA DO AUTISMO

Regras

Créditos

Olá! Encontramos um novo amigo e gostaríamos de conhecê-lo melhor! Você poderia nos ajudar?

Olá! Eu sou o Vitor!

Mitos e verdades

Vamos!



???

VERDADES


MITOS

Clique ao lado para descobrir!

Voltar



VERDADES



- Há vários tratamentos que ajudam a melhorar os sintomas do Transtorno do Espectro Autista (TEA);
- Usar animais para terapia de autismo pode ser positivo;
- Autismo pode ser hereditário;
- Não há cura para o autismo;
- A maioria dos autistas tem problemas de comunicação, interação social e comportamento repetitivo.

Voltar

MITOS



- Psicopatas são autistas;
- Autistas têm um mundo próprio;
- Autistas são superinteligentes;
- Autistas não gostam de carinho;
- O comportamento da mãe, e a falta de amor, são causas do problema;
- A vacina tríplice pode causar o transtorno;
- Autistas não gostam das pessoas.

Voltar

CRÉDITOS

O jogo foi criado no ano de 2019 por: Jéssica Carvalho de Assis e seu orientador Carlos Alberto Sanches Pereira, como produto final de sua dissertação de Mestrado Profissional em Ensino em Ciências da Saúde e do Meio Ambiente e possui o intuito de conhecer e auxiliar os professores a entender melhor o autismo.

 Voltar

REGRAS

O jogo consiste em uma trilha em que, assim que o jogador clica em “vamos!”, ele é direcionado à primeira casa do tabuleiro e deverá clicar nessa primeira casa para ser levado à primeira questão. As questões são de verdadeiro e falso; dessa forma, ao ser direcionado à primeira questão, o jogador deverá clicar em “verdadeiro” se considerar que a afirmação é verdadeira e em “falso” se considerar que a afirmativa é falsa. Se a resposta escolhida estiver correta, o jogador verá uma tela indicando que ele acertou, além da explicação sobre o assunto. Se tiver errada, será direcionado para uma tela indicando que a resposta está errada. Em cada uma dessas telas, existe a opção “voltar” para retornar à questão ou “próximo” para prosseguir para a próxima casa do tabuleiro ou para a próxima alternativa, caso o jogador tenha escolhido a opção correta.

Voltar



1

2

3

11

12

13

14

15

4

10

16

5

9

FIM

17

6

7

8

20

19

18



1

2

3

11

12

13

14

15

4

10

16

5

9

FIM

17

6

7

8

20

19

18

1



3

11

12

13

14

15

4

10

16

5

9

FIM

17

6

7

8

20

19

18

1

2



11

12

13

14

15

4

10

16

5

9

FIM

17

6

7

8

20

19

18

1

2

3

11

12

13

14

15

4

10

16

5

9

FIM

17

6

7

8

20

19

18



1

2

3

11

12

13

14

15

4

10

16

5

9

FIM

17

6

7

8

20

19

18



1

2

3

11

12

13

14

15

4

10

16

5

9

FIM

17

6

7

8

20

19

18



1

2

3

11

12

13

14

15

4

10

16

5

9

FIM

17

6



8

20

19

18

1

2

3

11

12

13

14

15

4

10

16

5

9

FIM

17

6

7

8

20

19

18



1

2

3

11

12

13

14

15

4

10

16

5

9

FIM

17

6


7

8

20

19

18



1

2

3

11

12

13

14

15

4

10

16

5

9

FIM

17

6

7

8

20

19

18





1

2

3

11

12

13

14

15

4

10

16

5

9

FIM

17

6

7

8

20

19

18

1

2

3

11



13

14

15

4

10

16

5

9

FIM

17

6

7

8

20

19

18

1

2

3

11

12

13

14

15

4

10

16

5

9

FIM

17

6

7

8

20

19

18



1

2

3

11

12

13



15

4

10

16

5

9

FIM

17

6

7

8

20

19

18

1

2

3

11

12

13

14

15



4

10

16

5

9

FIM

17

6


7

8

20

19

18



1

2

3

11

12

13

14

15

4

10

16



5

9

FIM

17

6

7

8

20

19

18

1

2

3

11

12

13

14

15

4

10

16

5

9

FIM

17

6

7

8

20

19

18



1

2

3

11

12

13

14

15

4

10

16

5

9

FIM

17

6

7

8

20

19

18



1

2

3

11

12

13

14

15

4

10

16

5

9

FIM

17

6

7

8


20

19

18

1- Balançar o corpo é sempre uma característica do autista. Essa afirmativa é:

Verdadeira

Falsa



Resposta errada. Não desista!



Voltar


Movimentos repetitivos e o balanceio realmente fazem parte do comportamento de muitos autistas. No entanto, essa atitude pode estar presente ou não no dia a dia da pessoa que está nessa condição.



2- O autista vive em um mundo só dele. Essa afirmativa é:

Verdadeira

Falsa






Resposta
errada. Não
desista!

Voltar

Infelizmente, essa informação é uma das mais difundidas. Um autista convive com as pessoas de forma diferente devido às dificuldades de linguagem e socialização que são parte da disfunção.



Oba!
Resposta
correta!

Voltar

Próximo

3- Conseguimos identificar sinais de autismo em bebês. Essa afirmativa é:

Verdadeira

Falsa

O autismo pode ser notado desde os primeiros meses de vida, já que se manifesta nas idades iniciais da criança.

Oba!
Resposta
correta!



Voltar

Próximo



Resposta errada. Não desista!



Voltar

4- Um bebê com características referentes ao TEA pode apresentar:

- a) Dificuldade em estabelecer ou manter contato visual;
- b) Repetição de movimentos e fixação em certos objetos;
- c) Falta de interação com brincadeiras.



Verdadeiro



Falso

Todo esse conjunto de características poderá ser observado já nos primeiros meses de vida da criança. Sendo assim, terapias de intervenção para o melhor desenvolvimento dessas crianças deverão ter início o mais precocemente possível.






Resposta
errada. Não
desista!

Voltar

5- O autismo é uma doença e tem cura.

Verdadeiro

Falso





Resposta
errada. Não
desista!

Voltar

TEA – Transtorno do Espectro Autista, como o próprio nome já diz, é um transtorno e não uma doença. Para o TEA, não há cura, há tratamento e controle, possibilitando que as pessoas com autismo possam ser alfabetizadas, pratiquem esportes, desenvolvam habilidades artísticas, convivência e afetividade, além do necessário desenvolvimento de autonomia e independência, de acordo com a severidade de seus sintomas.



6- Os resultados positivos em resposta às terapias para o TEA são tão mais significativos quanto mais precocemente instituídos.



Verdadeiro



Falso

A maior plasticidade das estruturas anátomo-fisiológicas do cérebro nos primeiros anos de vida, e o papel fundamental das experiências de vida de um bebê para o funcionamento das conexões neuronais e para a constituição psicossocial, tornam este período um momento sensível e privilegiado para intervenções.





Resposta
errada. Não
desista!



Voltar

7- Podemos considerar uma característica sinalizadora para o TEA quando a criança tende ao silêncio e a não manifestar amplas expressões faciais com significados.



Verdadeiro



Falso

O aumento do repertório de balbucios, risadas e sorrisos são sinais de um desenvolvimento típico.

Oba!
Resposta
correta!



Voltar

Próximo



Resposta
errada. Não
desista!

Voltar

8- No que se refere à alimentação, a criança com TEA pode ser muito resistente à introdução de novos alimentos na dieta.

Verdadeiro

Falso

A criança com desenvolvimento típico gosta de descobrir as novidades na alimentação, embora possa resistir um pouco no início, já aquelas que estão dentro do Espectro Autista tendem à seletividade alimentar.





Resposta
errada. Não
desista!

Voltar

9- Com relação à forma de brincar, podemos afirmar que as crianças com TEA usam brinquedos para imitar as ações dos adultos (por exemplo: dão aula a uma boneca, dão “comidinha” usando uma colher, contam histórias, etc.) de forma frequente e variada.



Verdadeiro

Falso



Resposta
errada. Não
desista!

Voltar

Em crianças autistas, essa forma de brincadeira está ausente ou é rara.

Oba!
Resposta
correta!

Voltar

Próximo



10- A falta de percepção a determinados sons (como os de um apito, de crianças brincando, etc.) pode ser considerada uma alteração sensorial comum a pessoas com TEA.

Verdadeiro

Falso



Resposta errada. Não desista!



Voltar

Pelo contrário: a sensibilidade exagerada a determinados sons e o excesso de reações comportamentais diante deles são características comuns aos autistas.



11- É importante que o diagnóstico de TEA seja determinado por um profissional médico especializado em neurologia, após a sua criteriosa avaliação.



Verdadeiro



Falso



Resposta
errada. Não
desista!

Voltar

O diagnóstico do TEA envolve a identificação dos “desvios qualitativos” do desenvolvimento (sobretudo no terreno da interação social e da linguagem). O diagnóstico diferencial é extremamente necessário, devendo identificar potencialidades e comprometimentos do indivíduo. Uma equipe multidisciplinar, composta minimamente por um médico psiquiatra e/ou neurologista e/ou pediatra, um psicólogo e um profissional fonoaudiólogo, poderá conduzir o fechamento de um correto diagnóstico.



12- O autismo é um problema psicológico. Sua causa é encontrada na família ou no meio. A família já havia sido evidenciada como responsável pelo desenvolvimento do espectro, desde muitos anos atrás, pela falta de afeto com o filho, e esta definição vem sendo confirmada em muitos estudos atuais.



Verdadeiro



Falso



Resposta errada. Não desista!



Voltar

Existem especialistas considerando hoje que a contribuição dos fatores genéticos como causa do TEA esteja ao redor de 90%, sobrando para o ambiente apenas 10% da responsabilidade. Autismo é o distúrbio de neurodesenvolvimento em que a herança genética desempenha papel mais importante. Ainda assim, vale lembrar que não está ao alcance da biologia condicionar o destino final, porque o ambiente modifica a expressão dos genes, e deficiências do desenvolvimento podem ser contornadas ou corrigidas com o aprendizado.



13- Receber o diagnóstico de TEA de um membro da família pode se constituir em um grande estressor para todo o sistema familiar.

Verdadeiro

Falso

O cuidado à pessoa com TEA exige da família extensos e permanentes períodos de dedicação, provocando, em muitos casos, a diminuição das atividades de trabalho, lazer, e até a negligência aos cuidados à saúde dos membros da família. Sendo assim, é preciso ofertar, também aos pais e cuidadores, espaços de escuta e acolhimento, de orientação e até de cuidados terapêuticos específicos.





Resposta errada. Não desista!



Voltar

14- Com relação ao tema inclusão, deve-se abandonar a ideia de que os indivíduos com necessidades educativas especiais devem ficar à margem da sociedade, pois eles possuem direitos e deveres como todo cidadão.



Verdadeiro



Falso

A forma como a sociedade interage com as pessoas com deficiência deve seguir um processo contínuo de evolução. A modificação da sociedade e a oferta de uma interação de qualidade com as pessoas portadoras de deficiência são o que pode resultar em uma sociedade mais fraterna e cooperativa.





Resposta
errada. Não
desista!

Voltar

15- A inclusão de alunos autistas nas escolas de ensino regular deverá ser avaliada caso a caso, pois tanto para os alunos típicos, quanto para os com necessidades especiais, lidar com as diferenças poderá ser extremamente desafiador, fazendo com que as propostas de ensino e aprendizagem fiquem comprometidas.



Verdadeiro

Falso



Resposta
errada. Não
desista!

Voltar

A inclusão beneficia a todos. Pode desenvolver a solidariedade, o respeito às diferenças e a cooperação de uns para com os outros. A inclusão dos autistas nas escolas é necessária. Incluir é aceitar integralmente e incondicionalmente as diferenças de todos, em uma valorização do ser enquanto semelhante a nós com igualdade de direitos e oportunidades.



16- São exemplos de comportamento repetitivo ou restrito: bater os pés, balançar o corpo, girar objetos e emitir sons repetitivos. Podemos afirmar que para o indivíduo com TEA esses comportamentos são autorregulatórios, feitos para buscar sensação de bem-estar ou ainda para aliviar o estresse.



Verdadeiro



Falso

Movimentos autorregulatórios são realizados para que, de alguma forma, a pessoa autista se organize. E é preciso ter cuidado ao avaliar a necessidade de conter esse hábito. Muitas vezes, eles não devem ser interrompidos bruscamente, pois o autista poderá perceber a interrupção como uma punição.





Resposta
errada. Não
desista!



Voltar

17- O professor que recebe um aluno com o diagnóstico de TEA terá o papel de planejar uma estratégia educacional que minimize as dificuldades do aluno de forma que ele possa se integrar e se desenvolver de acordo com suas próprias possibilidades. Por isso, o professor desempenha um papel fundamental no processo da educação infantil. Podemos dizer que esta afirmativa é:




Verdadeiro



Falso

A desinformação dos adultos, pais e profissionais da medicina e da educação poderá fazer com que a criança autista fique condenada a viver em um mundo que não consegue compreender.

A cartoon character with a speech bubble saying "Oba! Resposta correta!" stands on a path made of colorful puzzle pieces. The path is a ribbon of interlocking puzzle pieces in red, blue, yellow, and light blue, set against a light wood-grain background. The character is a simple drawing of a boy with brown hair, wearing a white shirt with a red stripe and blue shorts, standing on a small patch of green grass. A speech bubble above him contains the text "Oba! Resposta correta!". At the bottom left of the path, there is a red arrow pointing left with the word "Voltar" written on it. At the bottom right, there is a green arrow pointing right with the word "Próximo" written on it.

Oba!
Resposta
correta!

Voltar

Próximo



Resposta
errada. Não
desista!

Voltar

18- Quatro fatores indicam a presença do autismo infantil: problemas de relacionamento social, dificuldade de comunicação, atividades e interesses restritos e repetitivos e início precoce.



Verdadeiro

Falso



Resposta errada. Não desista!



Voltar

O autismo é um transtorno de desenvolvimento e não pode ser definido como uma forma de retardo mental, embora muitos quadros de autismo apresentem funcionamento intelectual abaixo da média. A palavra autismo pode ser associada a diversas síndromes. Os sintomas variam amplamente, por isso, atualmente, o autismo é considerado um transtorno.



19- Para ajudar os autistas, é fundamental que a família e os profissionais os tratem diferentemente, lembrando-se sempre que estão lidando com um autista, tentando entendê-los em sua forma de ser, e assim o tratamento será composto exclusivamente de amor e acolhimento de suas diferenças.



Verdadeiro

Falso



Resposta
errada. Não
desista!

Voltar

O tratamento é basicamente feito de reabilitação: psicologia, terapia ocupacional, fonoaudiologia, escola, fisioterapia, musicoterapia, etc.

Oba!
Resposta
correta!

Voltar

Próximo



20- Pesquisas apontam que o aluno autista já consegue obter sucesso no processo de aprendizagem apenas por estar inserido em um ambiente escolar com crianças típicas, para que possa imitar seus comportamentos e aprender.

Verdadeiro

Falso




Resposta
errada. Não
desista!



Voltar

Há denúncias graves que relatam que a experiência da inclusão sem as devidas adaptações, paradoxalmente, pode ser a mais excludente das práticas. Alunos autistas não aprendem sem um devido suporte.



Parabéns!! Agora a turma está conhecendo bem melhor seu amigo!

Obrigado!

Obrigada!

Obrigado!

Obrigado!

Obrigada!

Obrigado!

